

## UNITED STATES PATENT AND TRADEMARK OFFICE



UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1430 Alexandria, Viginia 22313-1450 www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.		
09/466,947	12/20/1999	DALE D. PETERSON	55288USA1A	1762		
32692	7590 07/30/2003					
3M INNOVATIVE PROPERTIES COMPANY			EXAMINER			
	PO BOX 33427 ST. PAUL, MN 55133-3427			LEWIS, RALPH A		
			ART UNIT	PAPER NUMBER		
			3732 DATE MAILED: 07/30/2003	16		

Please find below and/or attached an Office communication concerning this application or proceeding.

1	γ	K
		r

Application No.

Applicant(s) 09/466,947

Peterson

Office Action Summary Examiner

Ralph Lewis

Art Unit 3732

The MAILING DATE of this communication appears of	n the cover sheet with the correspondence address				
Period for Reply					
A SHORTENED STATUTORY PERIOD FOR REPLY IS SET	TO EXPIRE <u>three</u> MONTH(S) FROM				
THE MAILING DATE OF THIS COMMUNICATION.  - Extensions of time may be available under the provisions of 37 CFR 1.136 (a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the					
mailing date of this communication.  If the period for reply specified above is less than thirty (30) days, a reply within the	statutory minimum of thirty (30) days will be considered timely.				
<ul> <li>If NO period for reply is specified above, the maximum statutory period will apply an</li> <li>Failure to reply within the set or extended period for reply will, by statute, cause the</li> </ul>	d will expire SIX (6) MONTHS from the mailing date of this communication.				
- Any reply received by the Office later than three months after the mailing date of the					
earned patent term adjustment. See 37 CFR 1.704(b).  Status					
1) Responsive to communication(s) filed on <u>May 28, 2</u>					
2a) ☐ This action is <b>FINAL</b> . 2b) ☑ This action	on is non-final.				
Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under <i>Ex parte Quayle</i> , 1935 C.D. 11; 453 O.G. 213.					
Disposition of Claims					
4) X Claim(s) 1-4, 6-8, 10-19, 21-24, and 26-32	is/are pending in the application.				
4a) Of the above, claim(s)	is/are withdrawn from consideration.				
5) X Claim(s) 7, 8, 16, 27, 28, and 31					
6) X Claim(s) 1-4, 6, 10, 13-15, 17-19, 21-24, 26, 29, 3	•				
7) 💢 Claim(s) <u>11 and 12</u>					
	are subject to restriction and/or election requirement.				
Application Papers					
9) The specification is objected to by the Examiner.					
10) ☐ The drawing(s) filed on is/are a) ☐ accepted or b) ☐ objected to by the Examiner.					
Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).					
11) The proposed drawing correction filed on	□ · · · · · · · · · · · · · · · · · · ·				
If approved, corrected drawings are required in reply to this Office action.					
12) The oath or declaration is objected to by the Examiner.					
Priority under 35 U.S.C. §§ 119 and 120 13)  Acknowledgement is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).					
a) □ All b) □ Some* c) □ None of:					
1. Certified copies of the priority documents have been received.					
2. Certified copies of the priority documents have been received in Application No					
Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).  *See the attached detailed Office action for a list of the certified copies not received.					
14) Acknowledgement is made of a claim for domestic priority under 35 U.S.C. § 119(e).					
a) The translation of the foreign language provisional application has been received.					
15) Acknowledgement is made of a claim for domestic priority under 35 U.S.C. §§ 120 and/or 121.					
Attachment(s)					
1) X Notice of References Cited (PTO-892)	4) Interview Summary (PTO-413) Paper No(s).				
2) Notice of Draftsperson's Patent Drawing Review (PTO-948)	5) Notice of Informal Patent Application (PTO-152)				
3) Information Disclosure Statement(s) (PTO-1449) Paper No(s).	6) Other:				

Art Unit: 3732

**Indicated Allowability of Claim 15 Withdrawn** 

The indicated allowability of claims 15 and 20 (the limitations of claim 20 were included

in claim 17) is withdrawn in view of the newly discovered reference(s) to Duis et al (6,054,090).

Rejections based on the newly cited reference(s) follow.

Rejections based on Prior Art

The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all

obviousness rejections set forth in this Office action:

(a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made

to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negatived by the manner in which the invention was made.

Claims 1-4, 6, 10, 13-15, 17-19, 21-24, 26, 29, 30 and 32 rejected under 35 U.S.C. 103(a)

as being unpatentable over Duis et al (6,054,090).

Duis et al disclose product containers 112 (apparently 12 in Fig 4) for containing contact

lenses. Duis et al does not explicitly discloses that the containers having chambers are

"polymeric" as claimed, but one of ordinary skill in the art (as well as ordinary consumer) would

have readily recognized that the container obviously be made of plastic as is conventional in the

art. The Duis et al product containers 112 include a wall forming a label 130 (or 30) which is

made of multiple layers of polymers of contrasting colors. The inner layer(s) is interpreted as

Application/Control Number: 09/466,947 Page 3

Art Unit: 3732

part of the claimed polymeric body and the outer layer(s) is interpreted as the claimed coating. A laser is used to ablate an outer layer to provide for a "product-variable indicia such as a lot number and expiration date" (column 3, lines 28-34). The laser engraved lot number and expiration date meets applicant's claimed "species" mark limitation. In the discussion of the prior art, Duis et al indicates that in addition to the product variable-indicia there is typically unchanging indicia such as brand names (note column 1, lines 10-20). Duis et al does not explicitly state that the containers 112 also contain unchanging indicia (e.g. brand names), however, one of ordinary skill in the art in view of the earlier disclosure regarding the prior art would have found it obvious to have provided the label 130 with an unchanging indicia (e.g. brand name) so that the consumer can be made aware of the brand of product in the container. This unchanging indicia (brand name) meets applicant's "genus identification mark" limitation. Moreover, one of ordinary skill in the art would have found it obvious to have spaced the brand name from the laser engraved mark so that they could be read. In regard to claim 10, contact lenses are typically packaged emersed in saline solution (i.e. a flowable material), to have included saline solution with the Duis contact lenses would have been obvious to one of ordinary skill in the art.

## Allowable Subject Matter

Claims 7, 8, 16, 27, 28 and 31 are allowed.

Application/Control Number: 09/466,947 Page 4

Art Unit: 3732

Claims 11 and 12 are objected to as being dependent on a rejected based claim, but would be allowable if rewritten in independent form to include all of the limitations of the claims from which they depend.

Any inquiry concerning this communication should be directed to Ralph Lewis at telephone number (703) 308-0770. Fax (703) 872-9302. The examiner works a compressed work schedule and is unavailable every other Friday. The examiner's supervisor, Kevin Shaver, can be reached at (703) 308-2582.

R.Lewis July 24, 2003

Ralph A. Lewis
Primary Examiner
A U 3737